

MAX-AO-DA 4K/60 Dante Audio w/ HDMI 2.0 Output Card for Media Axis™



The **MAX-AO-DA** is a Dante Audio with HDMI 2.0 ports output card for Media Axis™ supporting 4K/60 4:4:4 resolutions and Dante/AES67 IP audio. Each **MAX-AO-DA** has primary and secondary RJ-45 ports for IP audio and four HDMI ports.

Key Features

- Dante or AES67 selectable via software
- Primary and secondary IP Audio ports
- Selectable IP audio latency
- Four HDMI ports
- Supports up to 4K 60Hz 4:4:4 resolutions

Technical Specifications

| | |
|----------------------------|--|
| CONNECTOR TYPES | (4) Female HDMI Type A outputs (2) RJ-45 ports (primary and secondary IP audio connections) |
| OPERATION STANDARD | HDMI 2.0 |
| HDCP COMPATIBLE | HDCP 2.2 |
| MAXIMUM PIXEL CLOCK | 300MHz |
| MAXIMUM RESOLUTION | Up to 4K @ 60Hz 4:4:4 |
| EQUALIZATION | Auto |
| HDMI DIGITAL AUDIO FORMATS | LPCM up to 7.1, Dolby Digital 5.1, Dolby Digital Plus, Dolby TrueHD, DTS-HD, DTS-HD Master Audio |
| IP AUDIO TRANSMITTER TYPE | Dante/AES67, Software Selectable |
| IP OUTPUT CHANNEL | HDMI Audio 32 channel |
| IP AUDIO FORMAT | Uncompressed, 24bit, 48KHz |
| IP AUDIO LATENCY | Selectable, 0.25ms, 0.5ms, 1.0ms, 2.0ms, 5.0ms |
| SINGLE BOARD WEIGHT | 1 lb. (0.45 kg) |